

# 6,5 CREEDMOOR FMJBT

140 GRS  
SB65A



## PROPERTIES

<b>BULLET</b>	TYPE	FMJBT
	WEIGHT	grs 140
	DIAMETER	in 0.264
	SECTIONAL DENSITY	lb/in <sup>3</sup> 0.287
	MATERIAL OF JACKET	CuZn 10
<b>BALLISTIC COEFFICIENT</b>	G1	0.491
	G7	0.247
<b>CARTRIDGE</b>	LENGTH	in 2.752
<b>POWER FACTOR ESTIMATED</b>	kgr-fps	372.0
<b>TEST BARREL LENGTH</b>	in	21¾
<b>SUGGESTED USE</b>		Range, Match/Competition
<b>FEATURES</b>		Reliable Functioning, Non-expanding, No Barrel Leading, Accurate

## PACKAGING

<b>BOXES PER CASE</b>	25
<b>WEIGHT PER CASE</b>	lb 29,3

## BALLISTICS

<b>DISTANCE</b>	y	MUZZLE	100	200	300	400
<b>VELOCITY</b>	fps	2,658	2,475	2,300	2,132	1,971
<b>ENERGY</b>	ft-lb	2,195	1,904	1,644	1,413	1,208
<b>DISTANCE</b>	y	50	100	200	300	400
<b>POINTS OF IMPACT</b>	in	-0.3	0.0	-3.7	-14.0	-31.9

